



Firefighter Belt Accessories

Accessory Pouches

Tool & Axe Loop

Positioning/Tag Ring

Scabbard Mounting Clip

Clip Leather Protector

INSTALLATION INSTRUCTIONS

WARRANTY & RETURN POLICIES

USER INFORMATION



FIRE INNOVATIONS, LLC

P.O. Box 2111

Petaluma CA 94953

866.347.3466


WWW.FIREINNOVATIONS.COM

ACCESSORY POUCHES




The installation procedures shown below apply to all accessory pouches. On the Low Profile Pouch an additional step is required. Note: At the end of installation, the pouches will open upwards.

REQUIRED TOOLS: None



Open the Velcro flaps of the Belt Holder. The plastic separator should have the open side down.



front view

Slip the plastic separator from the TOP of the belt, and between the belt and the gear loop.



back view

Flip the bottom of the Belt Holder up.



back view

Finally, turn down the top flap of the Belt Holder and fasten the Velcro flaps securely.

LOW PROFILE POUCH

This pouch has two Belt Holders to allow secured installation on either side of the belt. Follow the procedures above for the front Belt Holder installation. Please note that it is NOT necessary to slip the plastic flap through the gear loop of the rearward Belt Holder.



After securing the first *Belt Holder*, open the rearward *Belt Holder* flaps and lay belt directly on top of the plastic separator.



back view

Close the flaps to fasten Velcro flaps.

AXE/TOOL HOLDER


The Tool/Axe Loop can be installed on any available Gear Loop, although the recommended installation is on the second Gear Loop from the D-Ring.

REQUIRED TOOLS: None

WARNING: Use caution when donning/Doffing your belt with a tool in the Axe/Tool Holder. Tool may fall and cause serious injury.




front view




Start by opening the unit and then slip the Plastic Separator from the BOTTOM of the belt, and between the belt and the second gear loop.

front view




Fold the Reinforcement Flap over the belt and gear loop.

back view



Proceed by turning over the belt and, align and fasten the Velcro Flaps. The Axe/Tool Holder is now installed.

Top Adjusting Buckle




Start by setting the Top Adjusting Buckle to the outside edge of the tool. Then singe the Main Buckle down to secure the tool.

POSITIONING/TAG RING


This NFPA certified Positioning/Tag Ring can be easily installed on the Fire Innovations Cheyenne and Navajo Model Belts.

REQUIRED TOOLS: None

WARNING: The Positioning/Tag Ring is not to be used as an attachment point for repelling.



front view



Start by opening the unit and then slip the Plastic Separator from the BOTTOM of the belt, and between the belt and the second gear loop.

front view




Start by opening the unit and then slip the Plastic Separator from the BOTTOM of the belt, and between the belt and the second gear loop.

TOOL CLIP

The tool clip allows quick connection and disconnection of various tool holders, while retaining the durability and flexibility needed for today's firefighter. The only tool required is a Phillips screwdriver.



Start by removing the corner screws from the clip assembly. (NOTE: do not remove center screws)



Position the clip securing brackets behind the belt, keeping the debossed end towards the belt.



Attach the clip to the securing brackets using the supplied screws and loctite 242. Cross tighten the screws (Do not over tighten)

LEATHER CLIP PROTECTOR

The Leather Clip Protector keeps turnouts from excessive chaffing against the metal axe clip, and provides increased comfort to the wearer. Directional snaps are used to secure the leather backing to the belt.



To secure, place the socket snap over the stud snap, back edge first. Then rock the snap forward and secure. To remove reverse this procedure.

WARRANTY & RETURN POLICIES

THESE ARE THE SOLE AND COMPLETE WARRANTY AND RETURN POLICIES FOR ALL PRODUCTS AND SETS FORTH THE EXCLUSIVE REMEDIES OF THE CUSTOMER. THIS WARRANTY IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EITHER EXPRESSED OR IMPLIED. IN NO EVENT SHALL FIRE INNOVATIONS BE LIABLE FOR DAMAGES IN EXCESS OF THE PRODUCT VALUE OR FOR ANY INCIDENTAL, SPECIAL OR CONSEQUENTIAL DAMAGES TO PERSON OR PROPERTY ARISING OUT OF THE USE OR INABILITY TO USE OF SUCH PRODUCT; TO THE FULL EXTENT THE APPLICABLE LAW MAY DISCLAIM SUCH DAMAGES.

RETURN POLICY

Fire Innovations allows returns or exchanges on all non-customized merchandise. Returned merchandise must be delivered in “as delivered” condition without any “use” marks. We offer a 30 day window, following the receipt, for these returns with no restocking or handling fee. Following that 30 day window a 10% restocking and handling fee will be assessed. After 90 days, all returns will be issued a company credit for the amount of invoice minus 15% restocking and handling fee. Additionally, no returns are allowed for discontinued items over 30 days of receipt. The customer is required to obtain a RMA (Return Merchandise Authorization) prior to returning any merchandise. The customer is fully responsible for shipping costs.

LIMITED WARRANTY

Fire Innovations warrants all its products will be free from defects in construction and workmanship for 90 days from the date of purchase. Fire Innovations at its sole option may either repair or replace a defective product at no charge to the customer. A copy of customer purchase receipt and/or invoice may be required for warranty.

CUSTOMER OBLIGATIONS

It is the customer’s obligation to fully understand all form, fit and function of the product(s). To obtain warranty service or return services, a customer must complete the warranty Review Request Form included with the product or available online and fax or mail it back to Fire Innovations. Once the form is reviewed, a RMA will be issued. The customer must return the product, shipping charges prepaid, along with the warranty request to the provided address.

EXCLUSIONS

The warranty and return policies do not cover any product which has suffered normal wear and tear, defects resulting from accidents, product misuse, product abuse, failure to follow product instructions, improper product maintenance, neglect, tampering with the product, alterations, unauthorized product repairs, fire, flood, chemicals, acts of God, and damage while in transit to Fire Innovations. Further, this warranty expressly does not cover any general or consequential damages to person or property other than the product, including but not limited to devices used in conjunction with the product.

REPLACEMENT GUARANTEE PROGRAM

If it is determined that the failure claimed is not covered by our warranty program, you may be eligible for our Replacement Guarantee Program. This program offers any customer that has product failure/damage within a two year period (proof of purchase maybe required) that is not covered by our warranty, a replacement product at a prorated discounted price.

Replacement Program Prorated Discount Schedule

0-6 months	6 months-1 year	1 year – 18 months	18 months-2 years
25%	20%	15%	10%

